

## REFERENCES

- Bartolo, A. G., Zammit, G. & Küpper, F. C. 2022. Germling culture and molecular analysis of evasive micro-filamentous green algae growing in the Maltese Islands (central Mediterranean). *Bot. Mar.* 65:243–254.
- Cassidy, M. M., Schneider, C. W. & Saunders, G. W. 2022. The *Dasya baillouviana* and *D. cryptica* complexes (Delesseriaceae, Rhodophyta) in Bermuda with three additional new species from the archipelago. *J. Phycol.* 58:731–745.
- Cho, T. O., Fredericq, S. & Boo, S. M. 2003. *Ceramium inkyuui* sp. nov. (Ceramiaceae, Rhodophyta) from Korea: a new species based on morphological and molecular evidence. *J. Phycol.* 39:236–247.
- De Barros-Barreto, M. B., McIvor, L., Maggs, C. A. & Gomes Ferreira, P. C. 2006. Molecular systematics of *Ceramium* and *Centroceras* (Ceramiaceae, Rhodophyta) from Brazil. *J. Phycol.* 42:905–921.
- Díaz-Tapia, P., Ly, M. & Verbruggen, H. 2020. Extensive cryptic diversity in the widely distributed *Polysiphonia scopulorum* (Rhodomelaceae, Rhodophyta): molecular species delimitation and morphometric analyses. *Mol. Phylogenet. Evol.* 152:106909.
- Draisma, S. G. A., Olsen, J. L., Stam, W. T. & Van Reine, W. F. P. 2002. Phylogenetic relationships within the Sphace-lariales (Phaeophyceae): *rbcL*, RUBISCO spacer and morphology. *Eur. J. Phycol.* 37:385–401.
- Freshwater, D. W. & Shahnaz, L. 2019. Phylogenetic relationships of Pakistan *Gelidium* (Gelidiales, Rhodophyta) species with recognition of *Gelidium pakistanicum* stat. nov. *Bot. Mar.* 62:141–147.
- Hasan, A. H., Van der Aa, P., Küpper, F. C., Al-Bader, D. & Peters, A. F. 2022. *Kuwaitiella rubra* gen. et sp. nov. (Bangiales, Rhodophyta), a new filamentous genus and species from the north-western Indian Ocean. *Phycol. Res.* 70:192–202.
- Hayakawa, Y. -I., Ogawa, T., Yoshikawa, S., Ohki, K. & Kamiya, M. 2012. Genetic and ecophysiological diversity of *Cladophora* (Cladophorales, Ulvophyceae) in various salinity regimes. *Phycol. Res.* 60:86–97.
- Kawai, H., Hanyuda, T., Ahibata, K., Kamiya, M. & Peters, A. F. 2019. Proposal of a new brown algal species, *Mesogloia japonica* sp. nov. (Chordariaceae, Phaeophyceae), and transfer of *Sauvageaugloia ikomae* to *Meso-gloia*. *Phycologia* 58:63–69.
- Kawai, H., Hanyuda, T., Kim, S. -H., Ichikawa, Y., Uwai, S. & Peters, A. F. 2016. *Cladosiphon takenoensis* sp. nov. (Ectocarpales, Phaeophyceae) from Japan. *Phycol. Res.* 64:212–218.
- Kogame, K., Kurihara, A., Cho, G. Y., Lee, K. M., Sherwood, A. R. & Boo, S. M. 2011. *Petalonia tatewakii* sp. nov. (Scytosiphonaceae, Phaeophyceae) from the Hawaiian Islands. *Phycologia* 50:563–573.
- Lagourgue, L., Gobin, S., Brisset, M., Vandenberghe, S., Bonneville, C., Jauffrais, T., Van Wynsberge, S. & Payri, C. E. 2022. Ten new species of *Ulva* (Ulvophyceae, Chlorophyta) discovered in New Caledonia: genetic and morphological diversity, and bloom potential. *Eur. J. Phycol.* 57:458–478.
- Lam, D. W., Verbruggen, H., Saunders, G. W. & Vis, M. L. 2016. Multigene phylogeny of the red algal subclass Nemaliophycidae. *Mol. Phylogenet. Evol.* 94:730–736.
- Lawton, R. J., Mata, L., de Nys, R. & Paul, N. A. 2013. Algal bioremediation of waste waters from land-based aquaculture using *Ulva*: selecting target species and strains. *PLoS ONE* 8:e77344.
- Lee, E. -Y., Pedersen, P. M. & Lee, I. K. 2002. *Neoleptonema yongpili* E.-Y. Lee & I. K. Lee, gen. et sp. nov. (Phaeophyceae), based on morphological characters and RuBisCO spacer sequences. *Eur. J. Phycol.* 37:237–245.
- Leliaert, F. 2018. Ghent University, Krijgslaan 281-S8, 9000, Gent, Belgium. BioProject: PRJEB27736.
- Melton, J. T. 3rd. & Lopez-Bautista, J. M. 2021. Diversity of the green macroalgal genus *Ulva* (Ulvophyceae, Chlorophyta) from the East and Gulf coast of the United States based on molecular data. *J. Phycol.* 57:551–568.
- Peters, A. F., Couceiro, L., Tsiamis, K., Küpper, F. C. & Valero, M. 2015. Barcoding of cryptic stages of marine brown algae isolated from incubated substratum reveals high diversity in Acinetosporaceae (Ectocarpales, Phaeophyceae). *Cryptogam. Algal.* 36:3–29.
- Phillips, J. A., Lawton, R. J., Denys, R., Paul, N. A. & Carl, C. 2016. *Ulva sapor* sp. nov., an abundant tubular species of *Ulva* (Ulvales) from the tropical Pacific Ocean. *Phycologia* 55:55–64.
- Rinkel, B. E., Hayes, P., Gueidan, C. & Brodie, J. 2012. A molecular phylogeny of *acrochaete* and other endophytic green algae (Ulvales, Chlorophyta). *J. Phycol.* 48:1020–1027.
- Santiañez, W. J. E., Al-Bader, D., West, J. A., Bolton, J. J. & Kogame, K. 2020. Status, morphology, and phylogenetic relationships of *Iyengaria* (Scytosiphonaceae, Phaeophyceae), a brown algal genus with a disjunct distribution in the Indian Ocean. *Phycol. Res.* 68:323–331.
- Saunders, G. W. & Kucera, H. 2010. An evaluation of *rbcL*, *tufA*, UPA, LSU and ITS as DNA barcode markers for the marine green macroalgae. *Cryptogam. Algal.* 31:487–528.
- Sauvage, T., Schmidt, W. E., Suda, S. & Fredericq, S. 2016. A metabarcoding framework for facilitated survey of endolithic phototrophs with *tufA*. *BMC Ecol.* 16:8.
- Schneider, C. W., Cassidy, M. M. & Saunders, G. W. 2021. The pseudodichotomous *Dasya sylviae* sp. nov. (Delesseriaceae, Ceramiales) from 60–90 m mesophotic reefs off Bermuda. *Eur. J. Taxon.* 751:24–37.
- Siemer, B. L., Stam, W. T., Olsen, J. L. & Pedersen, P. M. 1998. Phylogenetic relationships of the brown algal orders Ectocarpales, Chordariales, Dictyosiphonales, and Tilopteridales (Phaeophyceae) based on RUBISCO large subunit and spacer sequences. *J. Phycol.* 34:1038–1048.
- Sommer, V., Mikhailyuk, T., Glaser, K. & Karsten, U. 2020. Uncovering unique green algae and cyanobacteria isolated from biocrusts in highly saline potash tailing pile habitats, using an integrative approach. *Microorganisms* 8:1667.
- Stache-Crain, B., Müller, D. G. & Goff, L. J. 1997. Molecular systematics of *Ectocarpus* and *Kuckuckia* (Ectocarpales, Phaeophyceae) inferred from phylogenetic analysis of nuclear- and plastid-encoded DNA sequences. *J. Phycol.* 33:152–168.
- Tanaka, A., Uwai, S., Nelson, W. & Kawai, H. 2010. *Phaeo-*

- physema* gen. nov. and *Vimineoleathesia* gen. nov., new brown algal genera for the minute Japanese members of the genus *Leathesia*. *Eur. J. Phycol.* 45:107–115.
- Verbruggen, H., Ashworth, M., LoDuca, S. T., Vlaeminck, C., Cocquyt, E., Sauvage, T., Zechman, F. W., Littler, D. S., Littler, M. M., Leliaert, F. & De Clerck, O. 2009. A multi-locus time-calibrated phylogeny of the siphonous green algae. *Mol. Phylogenet. Evol.* 50:642–653.
- Yang, E., Boo, S., Yoon, H. & Bhattacharya, D. 2006. Origin time of the florideophyceae and ceramiales (Rhodophyta). *J. Phycol.* 42:18.
- Yoon, H. S., Müller, K. M., Sheath, R. G., Ott, F. D. & Bhattacharya, D. 2006. Defining the major lineages of red algae (Rhodophyta). *J. Phycol.* 42:482–492.
- Zuccarello, G. C., Kikuchi, N. & West, J. A. 2010. Molecular phylogeny of the crustose Erythropeltoidales (Compsopogonophyceae, Rhodophyta): new genera *Pseudoerythrocladia* and *Madagascaria* and the evolution of the upright habit. *J. Phycol.* 46:363–373.
- Zuccarello, G. C., West, J. A. & Kikuchi, N. 2008. Phylogenetic relationships within the Stylonematales (Stylonemato-phyceae, Rhodophyta): biogeographic patterns do not apply to *Stylonema alsidii*. *J. Phycol.* 44:384–393.
- Zuccarello, G. C., Yoon, H. S., Kim, H., Sun, L., de Goër, S. L. & West, J. A. 2011. Molecular phylogeny of the upright erythropeltoidales (Compsopogonophyceae, Rhodophyta): multiple cryptic lineages of *Erythrotrichia carnea*. *J. Phycol.* 47:627–637.