

REFERENCES

- Bittner, L., Payri, C. E., Couloux, A., Cruaud, C., De Reviere, B. & Rousseau, F. 2008. Molecular phylogeny of the Dictyotales and their position within the Phaeophyceae, based on nuclear, plastid and mitochondrial DNA sequence data. *Mol. Phylogenet. Evol.* 49:211–226. doi.org/10.1016/j.ympev.2008.06.018
- Draisma, S. G. A., Prud'Homme van Reine, W. F., Stam, W. T. & Olsen, J. L. 2001. A reassessment of phylogenetic relationships within the Phaeophyceae based on RUBISCO large subunit and ribosomal DNA sequences. *J. Phycol.* 37:586–603. doi.org/10.1046/j.1529-8817.2001.037004586.x
- Kain, J. M., Buchanan, J., Boo, S. M. & Lee, K. M. 2010. *Colpomenia bullosa* crust masquerading as *Ralfsia verrucosa* (Phaeophyceae) in southeast Australia. *Phycologia* 49:617–627. doi.org/10.2216/09-96.1
- Kawai, H., Hanyuda, T., Draisma, S. G. A., Wilce, R. T. & Andersen, R. A. 2015. Molecular phylogeny of two unusual brown algae, *Phaeostrophion irregulare* and *Platysiphon glacialis*, proposal of the Stschapoviales ord. nov. and Platysiphonaceae fam. nov., and a re-examination of divergence times for brown algal orders. *J. Phycol.* 51:918–928. doi.org/10.1111/jpy.12332
- León-Álvarez, D., Núñez-Resendiz, M. L. & Wynne, M. J. 2014. Morphological and molecular studies on toptype material of *Neoralfsia expansa* (Phaeophyceae) reveal that Asian specimens assigned to this taxon are genetically distinct. *Bot. Mar.* 57:351–358. doi.org/10.1515/bot-2014-0029
- León-Álvarez, D., Reyes-Gómez, V. P., Wynne, M. J., Ponce-Márquez, M. E. & Quiróz-González, N. 2017. Morphological and molecular characterization of *Hapalospongidion gelatinosum*, Hapalospongidiaceae fam. nov. (Ralfsiales, Phaeophyceae) from Mexico. *Bot. Mar.* 60:567–581. doi.org/10.1515/bot-2017-0020
- Lim, P.-E., Sakaguchi, M., Hanyuda, T., Kogame, K., Phang, S.-M. & Kawai, H. 2007. Molecular phylogeny of crustose brown algae (Ralfsiales, Phaeophyceae) inferred from *rbcL* sequences resulting in the proposal for Neoralfsiaceae fam. nov. *Phycologia* 46:456–466. doi.org/10.2216/06-90.1
- Oteng'o, A. O., Cho, T. O. & Won, B. Y. 2021. *Endoplura jejuensis* sp. nov. and *Endoplura koreana* sp. nov. (Ralfsiales, Phaeophyceae) from Korea based on molecular and morphological analyses. *Algae* 36:155–163. doi.org/10.4490/algae.2021.36.7.22
- Oteng'o, A. O. & Won, B. Y. 2020. *Ralfsia longicellularis* (Ralfsiales, Phaeophyceae): a Far East Asian endemic brown alga from Korea. *Korean J. Environ. Biol.* 38:101–105. doi.org/10.11626/KJEB.2020.38.1.101
- Oteng'o, A. O., Won, B. Y. & Cho, T. O. 2022. Proposal for the Sungminiaceae fam. nov. (Ralfsiales, Phaeophyceae) for *Sungminia* gen. nov. with three new species based on molecular and morphological analyses. *J. Phycol.* 58:719–728. doi.org/10.1111/jpy.13280
- Oteng'o, A. O., Won, B. Y. & Cho, T. O. 2023a. *Endoplura gyeokpoensis* sp. nov. and *E. limpeticola* sp. nov. (Ralfsiales, Phaeophyceae), two new crustose brown algae from Korea. *Phycologia* 62:445–451. doi.org/10.1080/00318884.2023.2247713
- Oteng'o, A. O., Won, B. Y. & Cho, T. O. 2023b. *Fissipedicella orientalis* gen. et sp. nov. (Ralfsiales, Phaeophyceae), a new crustose brown alga from Korea based on molecular and morphological analyses. *Algae* 38:173–181. doi.org/10.4490/algae.2023.38.9.9
- Parente, M. I., Fletcher, R. L., Costa, F. O. & Saunders, G. W. 2021. Taxonomic investigation of *Ralfsia*-like (Ralfsiales, Phaeophyceae) taxa in the North Atlantic Ocean based on molecular and morphological data, with descriptions of Pseudoralfsiaceae fam. nov., *Pseudoralfsia azorica* gen. et sp. nov. and *Nuchella vesicularis* gen. et sp. nov. *Eur. J. Phycol.* 56:12–23. doi.org/10.1080/09670262.2020.1753245
- Parente, M. I. & Saunders, G. W. 2019. A molecular survey of *Ralfsia* sensu stricto (Ralfsiales, Phaeophyceae) in Canada uncovers three new species: *R. robertii* sp. nov., *R. tenebris* sp. nov., and *R. unimaculata* sp. nov. *Botany* 97:135–147. doi.org/10.1139/cjb-2018-0138
- Poong, S.-W., Lim, P.-E., Phang, S.-M., Gerung, G. S. & Kawai, H. 2013. *Mesospora elongata* sp. nov. (Ralfsiales, Phaeophyceae), a new crustose brown algal species from the Indo-Pacific region. *Phycologia* 52:74–81. doi.org/10.2216/12-42.1
- Poong, S.-W., Lim, P.-E., Phang, S.-M., Sunarpi, H., West, J. A. & Kawai, H. 2014. A molecular-assisted floristic survey of crustose brown algae (Phaeophyceae) from Malaysia and Lombok Island, Indonesia based on *rbcL* and partial *cox1* genes. *J. Appl. Phycol.* 26:1231–1242. doi.org/10.1007/s10811-013-0081-9
- Poong, S.-W., Lim, P.-E., Phang, S.-M., Sunarpi, H., West, J. A., Miller, K. A., et al. 2017. Two new species of *Mesospora* (Ralfsiales, Phaeophyceae) from the subtropical Indo-Pacific region. *Phycologia* 56:487–498. doi.org/10.2216/16-142.1
- Saunders, G. W. 2014. Long distance kelp rafting impacts seaweed biogeography in the Northeast Pacific: the kelp conveyor hypothesis. *J. Phycol.* 50:968–974. doi.org/10.1111/jpy.12237